

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time and period and and circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:08
L1	3300	display and stereoscopic adj image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 12:58
L2	392	display and stereoscopic adj image and pixel\$1 and address\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 12:59
L3	240	display and stereoscopic adj image and pixel\$1 and address\$6 and "N"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 12:59
L4	0	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and feame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 12:59
L5	0	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and feame\$1 and first	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 12:59
L6	170	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:00
L7	161	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:00
L8	161	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:00

L9	81	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:01
L10	62	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:01
L11	45	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:01
L12	38	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element and control and signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:03
L13	49	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:03
L14	43	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:03
L15	43	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:04

L16	30	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time and period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:04
L17	13	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time adj period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:06
L18	1	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 adj rate\$6 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time adj period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:14
L19	1	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and rate\$6 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time adj period and select\$6 and bias\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:06
L20	1	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and rate\$6 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time adj period and select\$6 and bias\$6 and compensat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:06

L21	30	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time and period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:06
L22	2	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time and period and select\$6 and bias\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:07
L23	12	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time and period and select\$6 and compensat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:08
L24	23	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time and period and circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
L25	2	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 and first and view\$6 and object\$1 and right adj eye and left and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and state\$1 and set\$1 and time and period and circuit\$6 and CPU and RAM and adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10

L26	1	display and stereoscopic adj image and pixel\$1 and address\$6 and "N/2" and frame\$1 adj rate\$6 and first and view\$6 and object\$1 and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and time adj period and sum and "T"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:15
L27	1	display and stereoscopic adj image and pixel\$1 and address\$6 and "N/2" and frame\$1 adj rate\$6 and first and view\$6 and object\$1 and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and time adj period and sum and "T" and data and defin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
L28	1	display and stereoscopic adj image and pixel\$1 and address\$6 and "N/2" and frame\$1 adj rate\$6 and first and view\$6 and object\$1 and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and time and period and sum and "T" and data and defin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
L29	3	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and frame\$1 adj rate\$6 and first and view\$6 and object\$1 and receiv\$6 and light and optical and element\$1 and control\$6 and signal\$1 and second and time and period and sum and "T" and data and defin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:17
L30	1	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and prism and lense and element and flat and surface and first and second and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:19
L31	1	display and stereoscopic and image\$1 and pixel\$1 and address\$6 and "N" and prism and lense and element and flat and surface\$1 and first and second and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:20
L32	1	display and stereoscopic adj image and pixel\$1 and address\$6 and "N" and prism and lense and element\$1 and flat and surface and first and second and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:20

L33	95	display and stereoscopic and image\$1 and pixel\$1 and address\$6 and "N" and prism and element and flat and surface\$1 and first and second and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:21
L34	0	display and stereoscopic and image\$1 and pixel\$1 and address\$6 and "N" and prism and element and flat and surface\$1 and first and second and parallel and metallic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:21
L35	206	display and stereoscopic and image\$1 and pixel\$1 and address\$6 and "N" and (prism or lense\$1) and element and flat and surface\$1 and first and second and parallel and metal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:22
L36	30	display and stereoscopic adj image\$1 and pixel\$1 and address\$6 and "N" and (prism or lense\$1) and element and flat and surface\$1 and first and second and parallel and metal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:22
L37	18	display and stereoscopic adj image\$1 and pixel\$1 and address\$6 and "N" and (prism or lense\$1) and element and flat and surface\$1 and first and second and parallel and metal\$6 and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:22
L38	18	display and stereoscopic adj image\$1 and pixel\$1 and address\$6 and "N" and (prism or lense\$1) and element and flat and surface\$1 and first and second and parallel and metal\$6 and voltage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:22
L39	10	display and stereoscopic adj image\$1 and pixel\$1 and address\$6 and "N" and (prism or lense\$1) and element and flat and surface\$1 and first and second and parallel and metal\$6 and voltage\$1 and electrostatic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:23
L40	5	display and stereoscopic adj image\$1 and pixel\$1 and address\$6 and "N" and (prism or lense\$1) and element and flat and surface\$1 and first and second and parallel and metal\$6 and voltage\$1 and electrostatic and oppose\$6 and flex\$6 and gap\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:23

L41	5	display and stereoscopic adj image\$1 and pixel\$1 and address\$6 and "N" and (prism or lense\$1) and element and flat and surface\$1 and first and second and parallel and metal\$6 and voltage\$1 and electrostatic and oppose\$6 and flex\$6 and gap\$1 and coupl\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:25
L42	4	display and stereoscopic adj image\$1 and pixel\$1 and address\$6 and "N" and (prism or lense\$1) and element and flat and surface\$1 and first and second and parallel and metal\$6 and voltage\$1 and electrostatic and oppose\$6 and flex\$6 and gap\$1 and coupl\$6 and piezoelectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:25